


# Comviva Cloud Video Platform

For cable companies, multiple service operators (MSOs), telcos and content providers who need a cost efficient, reliable solution for massively scalable video storage and recording that exceeds stringent performance requirements, the Comviva Cloud Video Platform (CCVP) is the only field proven, large scale software-based solution that provides resiliency, very high throughput, and virtually hands-off maintenance. This platform is highly optimized to minimize hardware footprint and provide the best possible TCO.



Comviva Cloud Video Platform  
Single Namespace Unlimited x86  
COTS Servers

## A Dramatically Different Approach

CCVP is a 100% software, high performance, scale-out storage that leverages the available processing resources on the same infrastructure to also perform distributed computing. The Shared Nothing (SN) architecture enables running compute on the storage infrastructure resulting in a consolidated storage and processing grid that provides unsurpassed performance and massive scalability.

While well suited for all intensive storage needs, the platform is especially optimized for the specific characteristics of video/media storage, processing and delivery. The scale out storage integrates various frameworks that allow running specialized modules. This is designed to meet application specific needs, in addition to the core tasks of media ingest, processing, and streaming. For example, the media workflow framework includes modules for place shifting, ad insertion and transcoding.

At its core, the platform features our scale out file system, which is a high performance distributed file system that clusters all storage server nodes into a single namespace. It is 100% software, supplied on reference configuration running on heterogeneous Linux COTS servers with direct attached storage (DAS/ JBOD).

## Use Cases

### Cloud DVR

Cloud based DVR applications enable service providers to offer a DVR service without the need to

deploy or upgrade to expensive DVR boxes at the subscriber site. By locating the storage and streaming at the network operation center and running an RS-DVR client software at the subscriber site, operators can offer a full DVR service without the need of hardware upgrades at the subscriber.

### Dynamic origin server

The origin server is a scale out media storage system that can also perform content transformation, and streaming. The origin ingests MPEG-TS CBR and ABR, and transforms them on-the-fly to RTSP and different OTT formats, thus eliminating the need to store multiple formats.

### CCVP Tiered Architecture

Supports different tiers to address specific streaming patterns as well as content popularity.

## Key Benefits

<b>Unprecedented Performance</b>	<ul style="list-style-type: none"> <li>Highly scalable throughput for large scale delivery of data</li> <li>Modular and high capacity storage to allow massive library support</li> <li>Storage &amp; compute on a single platform leverages full capabilities of resources</li> <li>Superior load balancing removes bottlenecks</li> </ul>
<b>Cost Efficiency</b>	<ul style="list-style-type: none"> <li>Reduce server requirements               <ul style="list-style-type: none"> <li>Integrated processing</li> <li>Distributed RAID</li> </ul> </li> <li>Replace expensive specialty appliances with COTS servers</li> <li>Eliminates separate server farms for storage, processing and streaming</li> <li>Scale out infrastructure allows pay as you grow economics</li> </ul>
<b>Massive Scalability</b>	<ul style="list-style-type: none"> <li>Plug and play expansion</li> <li>Single namespace simplicity</li> <li>Increases simultaneous streaming capacity with innovative video striping</li> </ul>
<b>Solid Reliability</b>	<ul style="list-style-type: none"> <li>Redundancy without duplication requirements</li> <li>Hands-off maintenance</li> <li>Auto recovery, fast rebuild</li> <li>100% resilience</li> <li>No downtime for updates, h/w replacement</li> </ul>
<b>Flexibility</b>	<ul style="list-style-type: none"> <li>Reference integrated COTS HW</li> <li>Flexible options for storage or throughput density</li> <li>Modular Components</li> <li>Resilient architecture</li> </ul>

## Platform Features

### Recommended Configuration

- CPU 2nd Generation Intel Xeon Gold 62xx Processors
- DRAM 192GB
- Network Interfaces: 4 x 1Gbit/s; 6 x 10/40 Gbit/s
- Storage: SSD, SATA, SAS all capacities are supported
- Disk Controller support JBOD mode - data protection implemented
- OS RHEL/Centos 7.6 or later
- Supports Multiple DRMS: Verimatrix, Nagra, ORCA (Purple), Latens DRM (PACE), Cisco (NDS) DRM, Irdeto, Buy DRM, PT

### Media workflow framework

- Comviva Ingest / Recording
- Comviva delivery (streaming)
- Comviva transcoding
- Ad insertion
- Packaging
- Encryption
- Content delivery/streaming

### Comprehensive Diagnostics suite

- Enables real time tracking the root of problems
- Service level monitoring enables tracking parameters that directly affect user experience, for example: number of restarts, session allocation time, failed playout sessions

Strong framework is provided for business analytics

### Shared file system with built in distributed RAID

Supports any storage devices (HDD, SSD, flash memory, DRAM)

### Rich set of interfaces to the storage

- FTP, HTTP
- Ingest live video streams (MPEG SPTS, ABR/CBR)
- Integrated grid based CDN origin (ABR delivery)
- Supports media streaming to legacy clients (RTSP, LSCP for UDP streaming)
- MPEG SPTS output

### Just in time Transcoding (JITX)

### Specialized compression (deduplication) functions

- Storage reductions and CAPEX optimization

### Grid Management Suite

- Resource management for server clusters
- Grid management and load balancing
- System topology, system administration and monitoring
- Typically runs on a pair of servers to provide high availability configuration
- Maintains meta data for the clustered storage
- Interfaces to customer back office systems

